



ENERG

енергия · ενέργεια

Y

UA

IE

IA

Eco Engineering

Easypell



A⁺

25 kW



ENERG

енергия · ενεργεια

Y

UA

IE

IA

Eco Engineering

Easypell 25



A⁺

A⁺⁺⁺

A⁺⁺

A⁺

A

B

C

D


E

F

G

A⁺

+



+



+



+



PRODUCT-DATA-SHEET

acc. EU-regulation 2015/1187

Energy efficiency index of solid fuel boiler

①
+ 121 %

Temperature control
From temperature control fiche

Class I = 1 %,	Class II = 2 %,	Class III = 1,5 %,
Class IV = 2 %,	Class V = 3 %,	Class VI = 4 %,
Class VII = 3,5 %,	Class VIII = 5 %	

②
+ 1 %

Supplementary boiler
From boiler fiche

Seasonal space heating energy efficiency (in %) or energy efficiency Index

③
(- I) x 0,1 = ± %

Solar contribution
From solar device fiche

Collector size (in m²) Tank volume (in m³) Collector efficiency (in %) Tank rating
A* = 0,95, A = 0,91, B = 0,86, C = 0,83, D-G = 0,81

(III x + IV x) x 0,9 x (/ 100) x = + %

④

Supplementary heat pump
From heat pump fiche

Seasonal space heating energy efficiency (in %)

⑤
(- I) x II = + %

Solar contribution AND supplementary heat pump


Select smaller value

④ 0,5 x OR ⑤ 0,5 x = - ⑥ %

Energy efficiency index of package

⑦
122

Energy efficiency class of package



The energy efficiency of the package of products provided for in this fiche may not correspond to its actual energy efficiency once installed in a building, as this efficiency is influenced by further factors such as heat loss in the distribution system and the dimensioning of the products in relation to building size and characteristics.



ENERG

енергия · ενέργεια

Y

UA

IE

IA

Eco Engineering

Easypell



A⁺

32 kW



ENERG

енергия · ενεργεια

Y

UA

IE

IA

Eco Engineering

Easypell 32



A⁺

A⁺⁺⁺

A⁺⁺

A⁺

A

B

C

D


E

F

G

A⁺

+



+



+



+



PRODUCT-DATA-SHEET

acc. EU-regulation 2015/1187

Energy efficiency index of solid fuel boiler

①
+ 123 %

Temperature control
From temperature control fiche

Class I = 1 %,	Class II = 2 %,	Class III = 1,5 %,
Class IV = 2 %,	Class V = 3 %,	Class VI = 4 %,
Class VII = 3,5 %,	Class VIII = 5 %	

②
+ 1 %

Supplementary boiler
From boiler fiche

Seasonal space heating energy efficiency (in %) or energy efficiency Index

③
(- I) x 0,1 = ± %

Solar contribution
From solar device fiche

Collector size (in m²) Tank volume (in m³) Collector efficiency (in %) Tank rating
A* = 0,95, A = 0,91,
B = 0,86, C = 0,83,
D-G = 0,81

(III x + IV x) x 0,9 x (/ 100) x = + %

④

Supplementary heat pump
From heat pump fiche

Seasonal space heating energy efficiency (in %)

⑤
(- I) x II = + %

Solar contribution AND supplementary heat pump

Select smaller value


④ 0,5 x OR ⑤ 0,5 x = - %

⑥

Energy efficiency index of package

⑦
124

Energy efficiency class of package



The energy efficiency of the package of products provided for in this fiche may not correspond to its actual energy efficiency once installed in a building, as this efficiency is influenced by further factors such as heat loss in the distribution system and the dimensioning of the products in relation to building size and characteristics.